

Original BMW parts
and accessories



Complete
winter wheels

Freude am Fahren

BMW Group

Complete winter wheels

2011/2012



BMW

BMW 1 Series 5-door (F20)	5
BMW 1 Series 3-door/5-door/ Coupé /Convertible (E81/87/82/88)	9
BMW 3 Series Saloon/Touring (E90/91)	13
BMW 3 Series Coupé/Convertible (E92/93)	17
BMW Z4 Roadster (E89)	21
BMW 5 Series Saloon/Touring (F10/11)	25
BMW 5 Series Gran Turismo (F07)	29
BMW 5 Series Saloon/Touring (E60/61)	33
BMW 6 Convertible/Coupé (F12/13)	37
BMW 7 (F01/02)	41
BMW X1 (E84)	45
BMW X3 (F25)	49
BMW X3 (E83)	53
BMW X5 (E70)	57
BMW X6 (E71/72)	61

MINI

MINI One/Cooper/Cooper D/Cooper S/Clubman/Convertible (R55/56/57)	65
MINI Coupé (R58)	69
MINI Countryman (R60)	73
MINI One/Cooper/Cooper S/Convertible (R50/52/53)	77

Rim sets 2011/2012	81
Winter wheels profile description 2011/2012	82

BMW 1 Series

5-door (F20)





Design 377



Design 380



Design 381



Design 385



Design 411



BMW 1 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimensions	Brand	Part no.	Part no.
F20	all models		16"	Steel 6,5 x 16	36 11 6 787 929	195/55 R16 87 H	BR Blizzak LM 32*	36 12 2 220 254	36 11 2 220 102
					36 11 6 787 929	195/55 R16 87 H	BR Blizzak LM 32* RSC	36 12 2 220 256	36 11 2 220 104
					36 11 6 787 929	195/55 R16 87 H	CO WinterContact TS 830 P*	36 12 2 220 257	36 11 2 230 239
					36 11 6 787 929	195/55 R16 87 H	GY ULTRA GRIP 8*	36 12 2 220 258	36 11 2 220 103
					36 10 6 786 355	205/55 R16 91 H	GY UG Performance 2* RSC	36 12 2 220 264	36 11 2 220 111
				LM 377 	36 11 6 796 201	205/55 R16 91 H	BR Blizzak LM 32*	36 12 2 220 260	36 11 2 220 112
					36 11 6 796 201	205/55 R16 91 H	BR Blizzak LM 32* RSC	36 12 2 220 261	36 11 2 220 113
				LM 411 	36 11 6 796 200	205/55 R16 91 H	CO WinterContact TS 830 P* RSC	36 12 2 220 262	36 11 2 220 117
			17"	LM 380 	36 31 6 796 205	205/50 R17 89 H	CO WinterContact TS 830 P* RSC	36 12 2 220 265	36 11 2 220 125
					36 31 6 796 205	205/50 R17 89 H	GY UG Performance 2* RSC	36 12 2 220 266	36 11 2 220 122
				LM 381 	36 11 6 796 206	225/45 R17 91 H	DU SP Winter Sport 3D* RSC	36 12 2 220 268	36 11 2 220 130
			18"	LM 385 	36 11 6 796 212	225/40 R18 92 V	CO WinterContact TS 830 P* RSC	36 12 2 220 269	36 11 2 220 133
					36 11 6 796 212	225/40 R18 92 V	PI W 210 Sottozero S2* RSC	36 12 2 220 270	36 11 2 220 134

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 1 Series

3-door/5-door/Coupé/Convertible (E81/87/82/88)





Design 141



Design 229



Design 256



Design 270M



BMW 1 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
E87	up to 2007: 116i, 118i, 118d	up to 2007: 120i, 120d, 130i; 2007 onwards:	16"	Steel 6 x 16	36 11 6 762 645	185/60 R16 86 H	GY Eagle ULTRA GRIP GW-3* RSC	36 12 0 392 407	36 11 0 392 414
E81 E87 E82 E88	116i, 116d, 118i, 118d, 120i, 120d (not E88), 125i (not E88)	123d, 130i, 135i, E88 : 120d, 125i, E82 : M	16"	Steel 6,5 x 16	36 11 6 777 784	195/55 R16 87 H	BR Blizzak LM 25*	36 12 2 160 367	36 11 2 161 209
					36 11 6 777 784	195/55 R16 87 H	CO WinterContact TS 810 S* RSC	36 12 0 433 285	36 11 0 433 286
					36 11 6 777 784	195/55 R16 87 H	GY ULTRA GRIP 7+*	36 12 0 445 767	36 11 2 158 449
					36 11 6 777 784	195/55 R16 87 H	GY ULTRA GRIP 7+* RSC	36 12 2 148 300	36 11 2 148 305
				LM 229 	36 11 6 779 786	195/55 R16 87 H	CO WinterContact TS 810 S* RSC	36 12 0 433 285	36 11 0 433 287
					36 11 6 779 786	195/55 R16 87 H	GY ULTRA GRIP 7+*	36 12 0 445 767	36 11 2 158 450
	116i, 116d, 118i, 118d, 120i, 120d, 125i	123d, 130i, 135i E82 : M	16"	Steel 7 x 16	36 11 6 770 480	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 2 148 995
					36 11 6 770 480	205/55 R16 91 H	DU SP Winter Sport M3* RSC	36 12 0 393 918	36 11 0 433 293
				LM 229 	36 11 6 774 684	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 2 153 827
	all models except E82 M	E82 : M	17"	LM 141 	36 11 6 775 621	205/50 R17 89 H	BR Blizzak LM 25* RSC	36 12 2 148 301	36 11 2 210 807
				LM 256 	36 11 6 778 219	205/50 R17 89 H	GY Eagle ULTRA GRIP GW-3* RSC	36 12 0 400 878	36 11 2 148 998
E82	M	all other models	18"	LM 270M 	36 11 2 283 905	235/40 R18 95 V	MI Pilot Alpin PA3*	36 12 0 442 729	36 11 0 442 728

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 3 Series

Saloon/Touring (E90/91)



BMW 1 Series

BMW 3 Series

BMW Z4

BMW 5 Series

BMW 6 Series

BMW 7 Series

BMW X1

BMW X3

BMW X5

BMW X6

MINI



Design 32



Design 154



Design 156



Design 158



Design 159



Design 268



Design 270M



Design 282



Design 284



BMW 3 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set	
				Design	Part no.	Dimension	Brands	Part no.	Part no.	
E90 E91	316i, 316d, 318i, 318d, 320i, 320si, 320d, 320xd, 325i	all other models	16"	Steel 7 x 16	36 11 6 777 783	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 2 153 185	
					36 11 6 777 783	205/55 R16 91 H	DU SP Winter Sport M3* RSC	36 12 0 393 918	36 11 2 148 308	
					36 11 6 777 783	205/55 R16 91 H	GY ULTRA GRIP 7+*	36 12 0 398 767	36 11 2 153 184	
					36 11 6 777 783	205/55 R16 91 H	PI W 210 Sottozero S2*	36 12 0 445 788	36 11 2 159 849	
	316i, 316d, 318i, 318d, 320i, 320si, 320d, 320xd, 325i, 325xi (only E90)	all other models	16"	LM 32		36 11 6 775 615	205/55 R16 91 H	DU SP Winter Sport M3* RSC	36 12 0 393 918	36 11 0 397 719
				LM 154		36 11 6 775 593	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 0 304 529
				LM 156		36 11 6 775 595	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 0 433 295
						36 11 6 775 595	205/55 R16 91 H	MI Primacy Alpin PA3*	36 12 0 445 807	36 11 2 162 153
				LM 268		36 11 6 780 907	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 0 442 148
				LM 282		36 11 6 783 628	205/55 R16 91 H	GY ULTRA GRIP 7+*	36 12 0 398 767	36 11 2 183 519
	all models except: 316d modellcode PR31, 316d modellcode PR31, 320d modellcode PP51, M3 (E90)	316d modellcode PR31, 320d modellcode PP51, M3 (E90)	17"	LM 32		36 11 6 775 616	225/45 R17 91 H	MI Primacy Alpin PA3* RSC	36 12 0 445 812	36 11 2 184 629
				LM 158		36 11 6 775 596	225/45 R17 91 H	GY Eagle ULTRA GRIP GW-3* RSC	36 12 0 406 942	36 11 0 413 297
						36 11 6 775 596	225/45 R17 91 H	MI Primacy Alpin PA3* RSC	36 12 0 445 812	36 11 2 230 207
	all models except: 316d, 318d, 320d modellcode PP51, M3 (E90)	316d, 318d, 320d modellcode PP51, M3 (E90)	17"	LM 159		36 11 6 775 597	225/45 R17 94 V	CO WinterContact TS 810 S* RSC	36 12 0 434 333	36 11 0 434 352
				LM 284		36 11 6 783 630	225/45 R17 94 V	BR Blizzak LM 25* RSC	36 12 0 417 938	36 11 2 159 852
	M3 (E90)	all other models	18"	LM 270M		36 11 2 283 905	235/40 R18 95 V	MI Pilot Alpin PA3*	36 12 0 442 729	36 11 0 442 728

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 3 Series

Coupé/Convertible (E92/93)



BMW 1 Series	BMW 3 Series	BMW Z4	BMW 5 Series	BMW 6 Series	BMW 7 Series	BMW X1	BMW X3	BMW X5	BMW X6	MINI
--------------	---------------------	--------	--------------	--------------	--------------	--------	--------	--------	--------	------



Design 32



Design 154



Design 156



Design 158



Design 159



Design 268



Design 270M



Design 282



Design 284

BMW 3 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
E92 E93	316i, 318i, 320i, 320d, 320xd,	all other models	16"	Steel 7 x 16	36 11 6 777 783	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 2 153 185
					36 11 6 777 783	205/55 R16 91 H	DU SP Winter Sport M3* RSC	36 12 0 393 918	36 11 2 148 308
					36 11 6 777 783	205/55 R16 91 H	GY ULTRA GRIP 7+*	36 12 0 398 767	36 11 2 153 184
					36 11 6 777 783	205/55 R16 91 H	PI W 210 Sottozero S2*	36 12 0 445 788	36 11 2 159 849
				LM 32	 36 11 6 775 615	205/55 R16 91 H	DU SP Winter Sport M3* RSC	36 12 0 393 918	36 11 0 397 719
				LM 154	 36 11 6 775 593	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 0 304 529
				LM 156	 36 11 6 775 595	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 0 433 295
					36 11 6 775 595	205/55 R16 91 H	MI Primacy Alpin PA3*	36 12 0 445 807	36 11 2 162 153
				LM 268	 36 11 6 780 907	205/55 R16 91 H	BR Blizzak LM 25* RSC	36 12 0 433 294	36 11 0 442 148
				LM 282	 36 11 6 783 628	205/55 R16 91 H	GY ULTRA GRIP 7+*	36 12 0 398 767	36 11 2 183 519
	all models except M3	M3	17"	LM 32	 36 11 6 775 616	225/45 R17 91 H	MI Primacy Alpin PA3* RSC	36 12 0 445 812	36 11 2 184 629
				LM 158	 36 11 6 775 596	225/45 R17 91 H	GY Eagle ULTRA GRIP GW-3* RSC	36 12 0 406 942	36 11 0 413 297
					36 11 6 775 596	225/45 R17 91 H	MI Primacy Alpin PA3* RSC	36 12 0 445 812	36 11 2 230 207
	all models except: 316i, 318i, M3	316i, 318i, M3	17"	LM 159	 36 11 6 775 597	225/45 R17 94 V	CO WinterContact TS 810 S* RSC	36 12 0 434 333	36 11 0 434 352
				LM 284	 36 11 6 783 630	225/45 R17 94 V	BR Blizzak LM 25* RSC	36 12 0 417 938	36 11 2 159 852
E92	M3	all other models	18"	LM 270M	 36 11 2 283 905	235/40 R18 95 V	MI Pilot Alpin PA3*	36 12 0 442 729	36 11 0 442 728

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW Z4

Roadster (E89)



BMW 1 Series

BMW 3 Series

BMW Z4

BMW 5 Series

BMW 6 Series

BMW 7 Series

BMW X1

BMW X3

BMW X5

BMW X6

MINI



Design 276



Design 290



BMW Z4

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set	
				Design	Part no.	Dimension	Brands	Part no.	Part no.	
E89	all models		17"	LM 276		36 11 6 782 903	225/45 R17 94 V	BR Blizzak LM 25* RSC	36 12 0 417 938	36 11 2 149 013
				LM 290		36 11 6 785 240	225/45 R17 91 H	PI W 210 Sottozero* RSC	36 12 0 433 299	36 11 2 149 007

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR

Continental = CO

Dunlop = DU

Goodyear = GY

Michelin = MI

Pirelli = PI

BMW 5 Series

Saloon/Touring (F10/11)





Design 236



Design 237



Design 281



Design 327



Design 328



Design 329



Design 365



Design 408M



BMW 5 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
F10 F11	all models except: 550i, 550xi	550i, 550xi	17"	LM 236 	36 11 6 780 720	225/55 R17 97 H	CO WinterContact TS 810 S*	36 12 2 184 585	36 11 2 184 631
					36 11 6 780 720	225/55 R17 97 H	PI W 210 Sottozero RSC*	36 12 2 220 253	36 11 2 230 291
				LM 327 	36 11 6 790 172	225/55 R17 97 H	DU SP Winter Sport 3D* RSC	36 12 2 162 926	36 11 2 162 953
					36 11 6 790 172	225/55 R17 97 H	GY ULTRA GRIP Performance 2*	36 12 2 162 512	36 11 2 183 501
	all models		18"	LM 237 	36 11 6 775 407	245/45 R18 100 V	CO WinterContact TS 810 S* RSC	36 12 2 213 078	36 11 2 213 079
					36 11 6 775 407	245/45 R18 100 V	DU SP Winter Sport 3D* RSC	36 12 2 162 927	36 11 2 181 234
				LM 281 	36 11 6 783 521	245/45 R18 100 V	DU SP Winter Sport 3D* RSC	36 12 2 162 927	36 11 2 162 954
				LM 328 	36 11 6 790 173	245/45 R18 100 V	DU SP Winter Sport 3D* RSC	36 12 2 162 927	36 11 2 183 502
				LM 329 	36 11 6 790 174	245/45 R18 100 V	DU SP Winter Sport 3D* RSC	36 12 2 162 927	36 11 2 183 503
					36 11 6 790 174	245/45 R18 100 V	PI W 240 Sottozero S2* RSC	36 12 2 212 944	36 11 2 212 946
				LM 365 	36 11 6 794 688	245/45 R18 100 V	CO WinterContact TS 810 S* RSC	36 12 2 213 078	36 11 2 220 173
F10	M5 with front TPC	all other models, M5 with rear TPC	19"	LM 408M 	36 11 2 284 252	255/40 R19 100 V	PI W 240 Sottozero S2*	36 12 2 220 724	36 11 2 220 678
	M5 with rear TPC	all other models, M5 with front TPC		LM 408M 	36 11 2 284 253	255/40 R19 100 V	PI W 240 Sottozero S2*	36 12 2 220 724	36 11 2 220 679

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 5 Series

Gran Turismo (F07)





Design 234



Design 235



Design 238



Design 250



Design 251



Design 254



BMW 5 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
F07	all models		18"	LM 234 	36 11 6 775 403	245/50 R18 100 H	CO WinterContact TS 810 S* RSC	36 12 2 220 247	36 11 2 230 305
					36 11 6 775 403	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 148 310
				LM 238 	36 11 6 775 991	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 148 309
				LM 250 	36 11 6 777 777	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 148 311
				LM 254 	36 11 6 775 777	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 148 312
			19"	LM 235 	36 11 6 775 404	245/45 R19 102 V	CO WinterContact TS 810 S* RSC	36 12 2 220 248	36 11 2 230 306
					36 11 6 775 404	245/45 R19 102 V	PI W 210 Sottozero S2* RSC	36 12 2 150 327	36 11 2 148 314
				LM 238 	36 11 6 775 992	245/45 R19 102 V	PI W 210 Sottozero S2* RSC	36 12 2 150 327	36 11 2 148 313
				LM 251 	36 11 6 775 390	245/45 R19 102 V	PI W 210 Sottozero S2* RSC	36 12 2 150 327	36 11 2 148 316

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 1 Series	BMW 3 Series	BMW Z4	BMW 5 Series	BMW 6 Series	BMW 7 Series	BMW X1	BMW X3	BMW X5	BMW X6	MINI
--------------	--------------	--------	---------------------	--------------	--------------	--------	--------	--------	--------	------

BMW 5 Series

Saloon/Touring (E60/61)



BMW 1 Series	BMW 3 Series	BMW Z4	BMW 5 Series	BMW 6 Series	BMW 7 Series	BMW X1	BMW X3	BMW X5	BMW X6	MINI
--------------	--------------	--------	---------------------	--------------	--------------	--------	--------	--------	--------	------



Design 115



Design 116



Design 122



Design 138



Design 243



BMW 5 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
E60 E61	520i, 520d, 523i; only E60 : 525i (M54)	all other models	16"	Steel 7 x 16	36 11 6 765 633	225/55 R16 95 H	PI W 210 Sottozero*	36 12 0 445 810	36 11 2 184 627
	520i, 520d, 523i; 525i, 525d, 530i (N52), 530d	all other models	16"	LM 115 	36 11 6 758 774	225/55 R16 95 H	DU SP Winter Sport M3*	36 12 0 433 234	36 11 0 393 607
	all models except xDrive, M5	all xDrive models, M5	17"	LM 116 	36 11 6 758 775	225/50 R17 94 H	DU SP Winter Sport M3* RSC	36 12 0 445 755	36 11 0 306 669
				LM 122 	36 11 6 776 778	245/45 R17 99 V	GY Eagle ULTRA GRIP GW-3* RSC	36 12 0 304 096	36 11 0 304 117
				LM 138 	36 11 6 776 776	225/50 R17 94 H	DU SP Winter Sport M3* RSC	36 12 0 445 755	36 11 0 304 116
				LM 243 	36 11 6 777 346	225/50 R17 94 H	DU SP Winter Sport 3D*	36 12 2 160 401	36 11 2 160 396
	525xi, 525xd, 530xi, 530xd	all other models	17"	LM 122 	36 11 6 776 779	245/45 R17 99 V	GY Eagle ULTRA GRIP GW-3* RSC	36 12 0 304 096	36 11 0 414 281
				LM 138 	36 11 6 776 777	225/50 R17 94 H	GY Eagle ULTRA GRIP GW-3* RSC	36 12 0 304 887	36 11 0 398 780

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 6 Series

Convertible/Coupé (F12/13)





Design 236



Design 237



Design 281



Design 327



Design 328



Design 329



Design 365



BMW 6 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
F12 F13	all models except: 650i, 650xi	650i, 650xi	17"	LM 236 	36 11 6 780 720	225/55 R17 97 H	CO WinterContact TS 810 S*	36 12 2 184 585	36 11 2 184 631
					36 11 6 780 720	225/55 R17 97 H	PI W 210 Sottozero* RSC	36 12 2 220 253	36 11 2 230 291
				LM 327 	36 11 6 790 172	225/55 R17 97 H	DU SP Winter Sport 3D* RSC	36 12 2 162 926	36 11 2 162 953
					36 11 6 790 172	225/55 R17 97 H	GY ULTRA GRIP Performance 2*	36 12 2 162 512	36 11 2 183 501
	all models		18"	LM 237 	36 11 6 775 407	245/45 R18 100 V	CO WinterContact TS 810 S* RSC	36 12 2 213 078	36 11 2 213 079
					36 11 6 775 407	245/45 R18 100 V	DU SP Winter Sport 3D* RSC	36 12 2 162 927	36 11 2 181 234
				LM 281 	36 11 6 783 521	245/45 R18 100 V	DU SP Winter Sport 3D* RSC	36 12 2 162 927	36 11 2 162 954
				LM 328 	36 11 6 790 173	245/45 R18 100 V	DU SP Winter Sport 3D* RSC	36 12 2 162 927	36 11 2 183 502
				LM 329 	36 11 6 790 174	245/45 R18 100 V	DU SP Winter Sport 3D* RSC	36 12 2 162 927	36 11 2 183 503
					36 11 6 790 174	245/45 R18 100 V	PI W 240 Sottozero S2* RSC	36 12 2 212 944	36 11 2 212 946
				LM 365 	36 11 6 794 688	245/45 R18 100 V	CO WinterContact TS 810 S* RSC	36 12 2 213 078	36 11 2 220 173

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 7 Series

(F01/02)





Design 233



Design 234



Design 235



Design 238



Design 250



Design 251



Design 254



BMW 7 Series

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
F01	730i, 730d	all other models	17"	LM 233 	36 11 6 777 654	245/55 R17 102 H	CO WinterContact TS 810 S* RSC	36 12 2 184 578	36 11 2 230 304
F02	all models except 760i	760i	18"	LM 234 	36 11 6 775 403	245/50 R18 100 H	CO WinterContact TS 810 S* RSC	36 12 2 220 247	36 11 2 230 305
					36 11 6 775 403	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 148 310
				LM 238 	36 11 6 775 991	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 148 309
				LM 250 	36 11 6 777 777	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 148 311
				LM 254 	36 11 6 775 777	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 148 312
	all models		19"	LM 235 	36 11 6 775 404	245/45 R19 102 V	CO WinterContact TS 810 S* RSC	36 12 2 220 248	36 11 2 230 306
					36 11 6 775 404	245/45 R19 102 V	PI W 240 Sottozero S2* RSC	36 12 2 150 327	36 11 2 148 314
				LM 238 	36 11 6 775 992	245/45 R19 102 V	PI W 240 Sottozero S2* RSC	36 12 2 150 327	36 11 2 148 313
				LM 251 	36 11 6 775 390	245/45 R19 102 V	PI W 240 Sottozero S2* RSC	36 12 2 150 327	36 11 2 148 316

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 1 Series	BMW 3 Series	BMW Z4	BMW 5 Series	BMW 6 Series	BMW 7 Series	BMW X1	BMW X3	BMW X5	BMW X6	MINI
--------------	--------------	--------	--------------	--------------	---------------------	--------	--------	--------	--------	------

BMW X1

(E84)





Design 317



Design 318



Design 319



Design 320



Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
E84	all models		17"	Steel 7,5 x 17	36 11 6 783 330	225/50 R17 94 H	DU SP Winter Sport 3D*	36 12 0 445 782	36 11 2 159 854
					36 11 6 783 330	225/50 R17 94 H	PI W 210 Sottozero S2* RSC	36 12 2 184 614	36 11 2 158 451
				LM 317 	36 11 6 789 140	225/50 R17 94 H	DU SP Winter Sport M3* RSC	36 12 0 445 755	36 11 2 230 284
				LM 318 	36 11 6 789 141	225/50 R17 94 H	PI W 210 Sottozero S2* RSC	36 12 2 184 614	36 11 2 164 776
				LM 319 	36 11 6 789 142	225/50 R17 94 H	BR Blizzak LM 25* RSC	36 12 2 184 615	36 11 2 164 777
					36 11 6 789 142	225/50 R17 94 H	DU SP Winter Sport 3D*	36 12 0 445 782	36 11 2 162 154
					36 11 6 789 142	225/50 R17 94 H	PI W 210 Sottozero S2*	36 12 0 445 766	36 11 2 166 572
	all models except 20d ed	20d ed	18"	LM 320 	36 11 6 789 143	225/45 R18 91 H	PI W 210 Sottozero S2* RSC	36 12 2 184 616	36 11 2 183 505

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 1 Series	BMW 3 Series	BMW Z4	BMW 5 Series	BMW 6 Series	BMW 7 Series	BMW X1	BMW X3	BMW X5	BMW X6	MINI
--------------	--------------	--------	--------------	--------------	--------------	---------------	--------	--------	--------	------

BMW X3

(F25)





Design 304



Design 305



Design 307



Design 308



Design 309



Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
F25	all models except: 35xi, 35xd	35xi, 35xd	17"	LM 304 	36 11 6 787 575	205/65 R17 96 H	PI W 210 Sottozero S2*	36 12 2 184 618	36 11 2 184 636
					36 11 6 787 575	225/60 R17 99 H	DU SP Winter Sport 3D*	36 12 2 184 621	36 11 2 183 506
				LM 305 	36 11 6 787 576	225/60 R17 99 H	DU SP Winter Sport 3D* RSC	36 12 2 184 620	36 11 2 183 507
					36 11 6 787 576	225/60 R17 99 H	PI W 210 Sottozero S2* RSC	36 12 2 184 619	36 11 2 183 508
	all models		18"	LM 307 	36 11 6 787 578	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 183 509
					36 11 6 787 578	245/50 R18 100 H	DU SP Winter Sport 3D* RSC	36 12 0 445 757	36 11 2 230 308
				LM 308 	36 11 6 787 579	245/50 R18 100 H	PI W 210 Sottozero S2* RSC	36 12 2 150 324	36 11 2 213 242
	all models		19"		36 11 6 787 580	245/45 R19 102 V	DU SP Winter Sport 3D* RSC	36 12 0 445 257	36 11 2 230 309
					36 11 6 787 580	245/45 R19 102 V	PI W 240 Sottozero S2* RSC	36 12 2 150 327	36 11 2 184 637
	all models rear	all models front	19"		36 11 6 787 581	275/40 R19 105 V	PI W 240 Sottozero S2* RSC	36 12 2 220 249	36 11 2 220 682

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 1 Series	BMW 3 Series	BMW Z4	BMW 5 Series	BMW 6 Series	BMW 7 Series	BMW X1	BMW X3	BMW X5	BMW X6	MINI
--------------	--------------	--------	--------------	--------------	--------------	--------	---------------	--------	--------	------

BMW X3

(E83)



BMW 1 Series

BMW 3 Series

BMW Z4

BMW 5 Series

BMW 6 Series

BMW 7 Series

BMW X1

BMW X3

BMW X5

BMW X6

MINI



Design 110



Design 112



Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
E83	all models except: 3.0sd, 35d	3.0sd, 35d	17"	LM 110 	36 11 3 401 198	215/60 R17 96 H	CO 4x4WinterContact*	36 12 0 445 774	36 11 0 304 124
				LM 112 	36 11 3 401 200	235/55 R17 99 H	MI Latitude Alpin HP*	36 12 0 445 776	36 11 2 230 240

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 1 Series	BMW 3 Series	BMW Z4	BMW 5 Series	BMW 6 Series	BMW 7 Series	BMW X1	BMW X3	BMW X5	BMW X6	MINI
--------------	--------------	--------	--------------	--------------	--------------	--------	---------------	--------	--------	------

BMW X5

(E70)



BMW 1 Series

BMW 3 Series

BMW Z4

BMW 5 Series

BMW 6 Series

BMW 7 Series

BMW X1

BMW X3

BMW X5

BMW X6

MINI



Design 177



Design 209



Design 211



Design 214



Design 223M



Design 298M



Design 299M



Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
E70	all models except M models	M models	18"	LM 177 	36 11 6 774 395	255/55 R18 109 H	CO 4x4WinterContact* RSC	36 12 0 433 271	36 11 0 433 274
				LM 209 	36 11 6 770 200	255/55 R18 109 H	DU Grandtrek WT M3* RSC	36 12 0 417 568	36 11 0 417 594
			19"	LM 177 	36 11 6 774 396	255/50 R19 107 V	BR Blizzak LM 25 4x4* RSC	36 12 0 444 459	36 11 0 444 460
					36 11 6 774 396	255/50 R19 107 V	CO 4x4WinterContact* RSC	36 12 0 433 275	36 11 0 433 276
				LM 211 	36 11 6 772 244	255/50 R19 107 V	GY ULTRA GRIP* RSC	36 12 0 445 794	36 11 0 445 762
				LM 223M 	36 11 8 037 347	255/50 R19 107 V	CO 4x4WinterContact* RSC	36 12 0 433 275	36 11 2 184 630
	M models front	all other models, M models rear	19"	LM 298M 	36 11 6 785 503	255/50 R19 107 V	GY ULTRA GRIP* RSC	36 12 0 445 794	36 11 0 445 818
	M models rear	all other models, M models front			36 11 6 785 504	255/50 R19 107 V	GY ULTRA GRIP* RSC	36 12 0 445 794	36 11 0 445 819
	M models front	all other models, M models rear	20"		36 11 6 772 249	275/40 R20 106 V	PI Scorpion Ice & Snow* RSC	36 12 0 413 685	36 11 0 416 158
	M models rear	all other models, M models front			36 11 6 772 250	315/35 R20 110 V	PI Scorpion Ice & Snow* RSC	36 12 0 413 686	36 11 0 416 159
	M models front	all other models, M models rear	20"		36 11 6 785 499	275/40 R20 106 V	PI Scorpion Ice & Snow* RSC	36 12 0 413 685	36 11 2 183 515
	M models rear	all other models, M models front			36 11 6 785 500	315/35 R20 110 V	PI Scorpion Ice & Snow* RSC	36 12 0 413 686	36 11 2 183 516

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

BMW 1 Series	BMW 3 Series	BMW Z4	BMW 5 Series	BMW 6 Series	BMW 7 Series	BMW X1	BMW X3	BMW X5	BMW X6	MINI
--------------	--------------	--------	--------------	--------------	--------------	--------	--------	---------------	--------	------

BMW X6

(E71/72)





Design 214



Design 232



Design 257



Design 298M



Design 299M



Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
E71 E72	all models front	M models, all models rear	19"	LM 232 	36 11 6 774 893	255/50 R19 107 V	GY ULTRA GRIP* RSC	36 12 0 445 794	36 11 0 445 791
	all models rear	M models, all models front			36 11 6 774 894	255/50 R19 107 V	GY ULTRA GRIP* RSC	36 12 0 445 794	36 11 0 445 793
	all models front	M models, all models rear	19"	LM 257 	36 11 6 778 582	255/50 R19 107 V	CO 4x4WinterContact* RSC	36 12 0 433 275	36 11 2 153 442
	all models rear	M models, all models front			36 11 6 778 585	255/50 R19 107 V	CO 4x4WinterContact* RSC	36 12 0 433 275	36 11 2 153 443
	M models front	all other models, M models rear	19"	LM 298M 	36 11 6 785 503	255/50 R19 107 V	GY ULTRA GRIP* RSC	36 12 0 445 794	36 11 0 445 818
	M models rear	all other models, M models front			36 11 6 785 504	255/50 R19 107 V	GY ULTRA GRIP* RSC	36 12 0 445 794	36 11 0 445 819
	all models front	M models, all models rear	20"	LM 214 	36 11 6 772 249	275/40 R20 106 V	PI Scorpion Ice & Snow* RSC	36 12 0 413 685	36 11 0 416 158
	all models rear	M models, all models front			36 11 6 782 916	315/35 R20 110 V	PI Scorpion Ice & Snow* RSC	36 12 0 413 686	36 11 0 037 404
	M models front	all other models, M models rear	20"	LM 299M 	36 11 6 785 499	275/40 R20 106 V	PI Scorpion Ice & Snow* RSC	36 12 0 413 685	36 11 2 183 515
	M models rear	all other models, M models front			36 11 6 785 500	315/35 R20 110 V	PI Scorpion Ice & Snow* RSC	36 12 0 413 686	36 11 2 183 516

RSC Runflat System Component

* Complete wheel sets with the BMW tyre markings (*) are fitted with BMW specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI





Design R87



Design R94



Design R97



Design R100



Design R102



Design R114

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
R55 R56 R57	MINI One, MINI One Eco, MINI One D, MINI Cooper, MINI Cooper D	MINI Cooper S, MINI Cooper SD, JCW R57: from 03/2011	15"	Steel 5,5 x 15	36 11 6 768 497	175/65 R15 84 T	PI W 190 Snowcontrol*	36 12 0 445 841	36 11 2 148 302
	MINI One, MINI One D, MINI Cooper, MINI Cooper D	MINI One Eco, MINI Cooper S, MINI Cooper SD, JCW R57: from 03/2011	15"	LM R100 	36 11 6 768 498	175/65 R15 84 T	CO WinterContact TS 810 S*	36 12 2 148 298	36 11 2 184 638
	R55/56: MINI Cooper S, MINI Cooper SD R57: MINI Cooper D, MINI Cooper S, MINI Cooper SD	all other models	16"	LM R87 	36 11 6 777 971	175/60 R16 86 H	DU SP Winter Sport 3D* RSC	36 12 2 148 299	36 11 2 148 304
	MINI One, MINI One D, MINI Cooper, MINI Cooper D, MINI Cooper S	MINI One Eco, JCW	16"	LM R94 	36 11 6 775 684	195/55 R16 87 H	BR Blizzak LM 25* RSC	36 12 0 433 262	36 11 0 433 263
					36 11 6 775 684	195/55 R16 87 H	GY ULTRA GRIP 7+* RSC	36 12 2 148 300	36 11 2 159 857
				LM R102 	36 11 6 768 584	195/55 R16 87 H	DU SP Winter Sport 3D* RSC	36 12 0 420 630	36 11 0 420 631
	all models except MINI One Eco; from 3/2011 only for JCW	from 3/2011 all other models except JCW	17"	LM R97 	36 11 6 775 685	205/45 R17 84 V	BR Blizzak LM 25 V* RSC	36 12 0 433 264	36 11 0 433 265
	JCW with sports brakes	all other models	17"	LM R114 	36 11 6 786 220	185/50 R17 86 H	DU SP Winter Sport 3D* RSC	36 12 2 148 276	36 11 0 442 071

RSC Runflat System Component

* Complete wheel sets with the MINI tyre markings (*) are fitted with MINI specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI





Design R94



Design R97



Design R102



Design R114

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
R58	MINI Cooper, MINI Cooper S, MINI Cooper SD	JCW	16"	LM R94 	36 11 6 775 684	195/55 R16 87 H	BR Blizzak LM 25* RSC	36 12 0 433 262	36 11 0 433 263
					36 11 6 775 684	195/55 R16 87 H	GY ULTRA GRIP 7+* RSC	36 12 2 148 300	36 11 2 159 857
				LM R102 	36 11 6 768 584	195/55 R16 87 H	DU SP Winter Sport 3D* RSC	36 12 0 420 630	36 11 0 420 631
	JCW	all other models	17"	LM R97 	36 11 6 775 685	205/45 R17 84 V	BR Blizzak LM 25 V* RSC	36 12 0 433 264	36 11 0 433 265
				LM R114 	36 11 6 786 220	185/50 R17 86 H	DU SP Winter Sport 3D* RSC	36 12 2 148 276	36 11 0 442 071

RSC Runflat System Component

* Complete wheel sets with the MINI tyre markings (*) are fitted with MINI specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI





Design R122



Design R124



Design R125

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
R60	all models		16"	Steel 6,5 x 16	36 10 9 803 650	195/60 R16 89 H	BR Blizzak LM 25 I*	36 12 2 184 622	36 11 2 184 140
	all models except: MINI Cooper S, MINI Cooper SD	MINI Cooper S, MINI Cooper SD	16"	Steel 6,5 x 16	36 10 9 803 650	205/60 R16 92 H	GY ULTRA GRIP 7+*	36 12 2 185 763	36 11 2 183 511
				LM R122 	36 10 9 803 720	205/60 R16 92 H	BR Blizzak LM 25 I*	36 12 0 038 670	36 11 2 183 512
	all models		17"	LM R124 	36 10 9 803 723	205/55 R17 91 H	PI W 210 Sottozero S2* RSC	36 12 2 184 624	36 11 2 183 513
				LM R125 	36 10 9 804 373	205/55 R17 91 H	BR Blizzak LM 25 I* RSC	36 12 0 494 096	36 11 0 494 973

RSC Runflat System Component

* Complete wheel sets with the MINI tyre markings (*) are fitted with MINI specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI





Design R87



Design R94



Design R97



Design R100



Design R102

Class	Approved for	Not approved for		Rims		Tyres			Complete wheel set
				Design	Part no.	Dimension	Brands	Part no.	Part no.
R50 R52	MINI One, MINI Cooper, MINI Cooper D	MINI Cooper S, JCW	15"	Steel 5,5 x 15	36 11 6 768 497	175/65 R15 84 T	PI W 190 Snowcontrol*	36 12 0 445 841	36 11 2 148 302
				LM R100 	36 11 6 768 498	175/65 R15 84 T	CO WinterContact TS 810 S*	36 12 2 148 298	36 11 2 184 638
R50 R52 R53	MINI One, MINI Cooper, MINI Cooper D, MINI Cooper S	JCW	16"	LM R87 	36 11 6 777 971	175/60 R16 86 H	DU SP Winter Sport 3D* RSC	36 12 2 148 299	36 11 2 148 304
				LM R94 	36 11 6 775 684	195/55 R16 87 H	BR Blizzak LM 25* RSC	36 12 0 433 262	36 11 0 433 263
					36 11 6 775 684	195/55 R16 87 H	GY ULTRA GRIP 7+* RSC	36 12 2 148 300	36 11 2 159 857
				LM R102 	36 11 6 768 584	195/55 R16 87 H	DU SP Winter Sport 3D* RSC	36 12 0 420 630	36 11 0 420 631
	all models		17"	LM R97 	36 11 6 775 685	205/45 R17 84 V	BR Blizzak LM 25 V* RSC	36 12 0 433 264	36 11 0 433 265

RSC Runflat System Component

* Complete wheel sets with the MINI tyre markings (*) are fitted with MINI specific winter tyres

No liability for errors, omissions and price alterations. The current version of the wheels/tyres approval list (KSD) ALWAYS takes precedence for all models. For vehicles equipped with TPC (tyre pressure control) only winter wheels that have been authorized as per ETK are permissible. Details of approved snow chains can be found in the current wheels/tyres approval list (KSD).

Bridgestone = BR
Continental = CO
Dunlop = DU

Goodyear = GY
Michelin = MI
Pirelli = PI

WHEEL HUBCAPS

BMW 1 Series (F20)



Part number	Diameter
36 13 6 791 806	16"

BMW 1 Series (E81/87/82/88)



Part number	Diameter
36 13 6 762 654	16"
36 13 6 777 787	16"

BMW 3 Series (E90/91/92/93)



Part number	Diameter
36 13 6 760 469	16"
36 13 6 777 786	16"

BMW X1 (E84)



Part number	Diameter
36 10 6 783 332	17"

MINI



Part number	Diameter
36 13 6 795 347	15"

MINI



Part number	Diameter
36 13 6 785 977	15"


MINI Coverage




Part number	Diameter
36 10 9 804 232	16"

WINTER WHEELS

Profile description 2011/2012





Bridgestone Blizzak LM 25

- Excellent traction on ice and snow thanks to 3D blade sipes
- Balanced for a comfortable, quiet ride
- High performance on dry surfaces
- Long lasting, low wear
- ADAC (10/2008): Recommended



Bridgestone Blizzak LM 25 I

- Reduced risk of aquaplaning
- Top riding quality on dry surfaces
- Good continuous-travel comfort and reduced noise generation
- Excellent traction handling on ice and snow thanks to 3D blade sipes



Bridgestone Blizzak LM 25 V

- Excellent traction and secure handling on snow or wet surfaces
- Balanced for a comfortable, quiet ride
- Long lasting, low wear



Bridgestone Blizzak LM 25 4x4

- Superb handling even at high speeds, on both wet and dry surfaces
- Fantastic traction and confident braking on snow and ice
- Attractive side panel design
- ÖAMTC (2009): Highly recommended



Bridgestone Blizzak LM 32

- Long transversal grooves for superior grip on ice and snow
- Effective water run-off and protection against aquaplaning
- Optimum rubber compound for excellent grip and braking results across all winter conditions



Continental 4x4 WinterContact

- Dynamic riding quality on both wet and dry surfaces, outstanding grip on snow
- Excellent traction and braking performance thanks to newly developed silica compound
- Great protection against aquaplaning and skidding on snow thanks to aerodynamic treads on the shoulder blocks
- Very quiet



Continental WinterContact TS 810 S

- Excellent riding quality in all winter conditions
- Superior handling and braking on dry surfaces
- Outstanding aquaplaning performance
- Rigid shoulder supports for excellent directional control
- Thick sipes for best possible grip
- Auto Bild (9/2008): Outstanding



Continental WinterContact TS 830 P

- Outstanding all-round performance with dynamic riding quality in wet conditions
- Excellent aquaplaning safety protection
- Long-life, low wearing
- ÖAMTC (Winter tyre test 2010): Highly recommended





Dunlop Grandtrek WT M3

- Fantastic riding quality on snow
- V-shaped treads in direction of movement
- Silica-plus tread
- Good handling and traction
- Improved safety and mobility
- Sporty with superior driving comfort



Dunlop SP Winter Sport 3D

- 3D sipes are a technical highlight
- Superior grip on snow, ice and in wet conditions
- Excellent directional control on snow thanks to high-amplitude profile
- Outstanding driving stability
- ÖAMTC (Winter tyre test 2010): Highly recommended



Dunlop SP Winter Sport M3

- High performance winter tyres offering excellent safety levels
- High comfort balance
- Silica-polymer treads
- Profile in direction of travel with drainage grooves
- Excellent dry and wet grip in winter conditions and excellent aquaplaning safety
- Auto Bild (11/2008): Highly recommended



Goodyear Eagle ULTRA GRIP GW-3

- High performance winter silica treads
- Optimum traction and superior performance in both wet and dry conditions
- Excellent road adherence
- 3D waffle sipes across the whole tyre
- The perfect choice for a high performance vehicle



Goodyear ULTRA GRIP

- Superior handling properties
- Superior grip on ice, snow and slush
- Optimum traction and excellent performance in both wet and dry conditions
- Excellent road adherence even in the harshest of winter conditions



Goodyear ULTRA GRIP Performance 2

- Reliable vehicle control across all winter conditions
- Excellent handling, even in snow and ice
- Good driving performance on both wet and dry surfaces
- ÖAMTC (Winter tyre test 2010): Highly recommended



Goodyear ULTRA GRIP 7+

- Superior safety even in rapidly changing winter conditions
- Extended mileage, reduced rolling friction
- Excellent grip on wet surfaces as well as on snow and ice
- Outstanding protection in case of aquaplaning
- ÖAMTC (Winter tyre test 2010): Highly recommended



Goodyear ULTRA GRIP 8

- Reduced risk of aquaplaning on wet, winding roads
- Very short braking distances on wet roads and in snowy conditions
- Excellent performance in all winter weather conditions



Michelin Latitude Alpin HP

- Rounded shoulder guarantees precise cornering
- Perfect steering precision at high speeds, even on wet road surfaces
- Self-blocking sipes provide grip even on the edge of the tyre and provide excellent traction even on snowy surfaces



Michelin Pilot Alpin PA3

- Winter tyres for high performance sports vehicles
- Asymmetric tread profile design
- Superior handling in wet, cold and snowy conditions
- Excellent safety on dry surfaces
- Improved traction on snow and dry surfaces



Michelin Primacy Alpin PA3

- Perfect handling on dry surfaces
- Good driving comfort and reduced rolling resistance
- Good safety reserves against aquaplaning
- Dynamic, sporty handling with high steering precision on dry surfaces
- ADAC (Winter tyre test 2010): Recommended



Pirelli Scorpion Ice & Snow

- Specially developed winter tyres for SUV and off-road vehicles
- Improves the performance of fast, modern all-terrain vehicles in low temperatures and snowy conditions
- Pro-active reaction to the various demands of road surfaces e.g. wet tarmac or gravel
- Auto Bild (11/2008): Good



Pirelli W 190 Snowcontrol

- ACT tread offers improved wear resistance
- Excellent handling on wet surfaces and in snowy conditions
- Profile design in direction of travel for maximum traction and braking efficiency
- ADAC (10/2008): Highly recommended



Pirelli W 210 Sottozero

- Exemplary winter driving quality with good directional control
- Superior driving performance and short braking distances, even on snow
- Excellent safety against aquaplaning
- Outstanding grip on snowy surfaces provides top safety in the winter months
- Top performance when it comes to fuel consumption



Pirelli W 210 Sottozero S2

- Top performance with excellent traction and stable directional control on snow
- Agile driving performance on dry surfaces
- Excellent driving performance on wet road surfaces
- ÖAMTC (Winter tyre test 2010): Recommended



Pirelli W 240 Sottozero S2

- Deep, transverse grooves for reduced running noise, improved acoustic comfort and rolling resistance
- Superior grip during changes in load when driving around bends and improved precision handling even with sudden changes in direction
- Auto Sport (4/2009): Highly recommended

